



dLAN 200 AV



Technical data

Standards	<ul style="list-style-type: none"> ▪ Ethernet specifications IEEE 802.3, IEEE 802.3x, IEEE 802.3u, Auto MDI / X ▪ HomePlug AV
Protocols	TDMA, CSMA/CA
Transmission speed	200 Mbps
Transmission method	asynchronous
Modulation	OFDM - 1155 carriers, 1024/256/64-QAM, QPSK, BPSK
Data path	<ul style="list-style-type: none"> ▪ Ethernet <-> power supply grid
Range	<ul style="list-style-type: none"> ▪ up to 200m over household power supply grid
Security	128-bit AES encryption over household power supply grid
LEDs	<ul style="list-style-type: none"> ▪ Power ▪ Ethernet (Link/Act) ▪ dLAN (Link/Act)
dLAN port	<ul style="list-style-type: none"> ▪ Euro mains plug
Device port	<ul style="list-style-type: none"> ▪ Ethernet RJ45
Power consumption	5.5 W (max.)
Power supply	AC 100-240V 50/60Hz
Weight	148 g
Dimensions	80 x 65 x 40 mm (height x width x depth)
Temperature	Storage: -25°C – 70°C Operation: 0°C – 40°C
Ambient conditions	10–90% humidity (non-condensing)
System requirements	Ethernet port
Operating systems	Windows® 98, Windows® ME, Windows® 2000, Windows® XP, Linux®, Mac OS® X and all operating systems with TCP/IP support
Certifications	CE-compliant in accordance with the technical requirements of all EU countries and Switzerland: EN 55022 EN 50412 EN 60950

Sales information

Article number	01169 (DE/AT/CH/BE/IT), 01170 (NL,ESP), 01171 (UK), 01178 (FR)
EAN-Code	4250059611696 (DE/AT/CH/BE/IT), 4250059611702 (NL,ESP), 4250059611719 (UK), 4250059611788 (FR)
Warranty	3 years
Service & Support	Telephone and e-mail. Please see the included support flyer or the devolo website for telephone numbers and e-mail addresses.
Design	Plastic wallplug housing
Weight	428 g
Package dimensions	78,5 x 231 x 188,5 mm (height x width x depth)
Accessories	<ul style="list-style-type: none"> ▪ Ethernet cable RJ45-RJ45 (Cat 5) ▪ Documentation: printed installation guide CD-ROM: PDF manual, configuration software for Windows®, Linux®, Mac OS® X and additional software: devolo Informer, devolo EasyShare, devolo EasyClean